

**MATERIAL SAFETY DATA SHEET**  
**FLORIDA CIRTECH, INC.**

1309 North 17th Ave., Greeley, CO 80631  
Tel: 970-346-8002, Fax: 970-346-8331

**REVISION: 7/5/2005**

**SECTION I: GENERAL INFORMATION**

**PRODUCT NAME: WT530 WASTE TREATMENT Product Shelf Life: 1000 days**

Proper Shipping Name: NON D.O.T. REGULATED

Container Description: Drum

**SECTION II: HAZARDOUS INGREDIENTS**

COMPONENT NAME	CAS#	Weight %	OSHA PEL	AGGIH TLV
----------------	------	----------	----------	-----------

None

**SECTION III: PHYSICAL DATA**

Boiling Point: >200 F	Solubility in H2O: Complete
Vapor Pressure: 58mm @ 38C	Appearance: Yellow to amber viscous liquid
Vapor Density: N/A	pH 5% sol'n: 5-7
Specific Gravity: 1.14-1.18	V.O.C. %: 0
(H2O=1@77 F)	Evaporation Rate: N/A
Odor: Slight Amine odor	

**SECTION IV: FIRE AND EXPLOSION DATA**

ESTIMATED FLAMMABLE LIMITS (%By volume in air) LEL:NE UEL:NE

FLASH POINT(OF):T.C.C. >200 F

EXTINGUISHING MEDIA: Carbon Dioxide or dry chemical.

SPECIAL FIRE FIGHTING PROCEDURES: Use NIOSH approved self-contained breathing apparatus in enclosed areas.

**SECTION V: HEALTH HAZARD DATA**

INHALATION: Can cause nasal irritation, dizziness, nausea and headache.

INGESTION: Can cause damage to throat and esophagus. Can cause nausea, vomiting and diarrhea.

SKIN: Can cause minor irritation and burns.

EYES: Can cause severe irritation, tearing, blurred vision.

**SECTION VI: EMERGENCY AND FIRST AID PROCEDURES**

INHALATION: If affected, remove individual to fresh air. If breathing is difficult, administer oxygen. Get medical attention.

INGESTION: Call physician or poison control center.

SKIN CONTACT: Wash exposed area with soap and water. Remove contaminated clothing. Launder clothing before reuse.

EYE CONTACT: Flush for at least 15 minutes with large amounts of water, lifting upper and lower lids occasionally. Get medical attention immediately.

**SECTION VII:**

STABILITY Stable: True

CONDITIONS AND MATERIALS TO AVOID:

HAZARDOUS DECOMPOSITION PRODUCTS:

**REACTIVITY DATA**

HAZARDOUS POLYMERIZATION CAN OCCUR: False

Strong oxidizing and reducing agents, copper, aluminum, steel and iron

Oxides of nitrogen, carbon dioxide, carbon monoxide and HCl during combustion

**SECTION VIII:****SPILL OR LEAK PROCEDURES****ERG#: N/A**

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

Ventilate if in enclosed area. Eliminate all ignition sources.

SMALL SPILL: Absorb liquid on paper, vermiculite, floor absorbent, or other absorbent material and transfer to hood.

LARGE SPILL: Contain by diking with a non-combustible absorbent inorganic material. Prevent runoff from entering sewers, stream drains, surface water and soil. Transfer to a DOT approved container.

Destroy by approved incineration or deposit with approved landfill. Must be in accordance with federal, state and local laws and regulations.

**SECTION IX:****SPECIAL PROTECTION**

RESPIRATORY: If threshold limit value is exceeded, use MSHA/NIOSH approved respirator for organic vapors.

EYEWEAR: Chemical splash goggles and face shield compliance with OSHA regulations are advised. Provide eyebath near work site.

CLOTHING/GLOVES: Wear resistant gloves such as rubber, neoprene or plastic.

VENTILATION: Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure levels below TLV's.

**SECTION X:****SPECIAL PRECAUTIONS**

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:

Keep container closed when not in use. Store away from ignition sources in cool dry area. Use adequate ventilation. Read all container labeling. Use drum spigots that are not metal.

ADDITIONAL PRECAUTIONS: Since empty containers may retain product residues (vapor, liquid or solid) all labeled hazard precautions must be observed.

FOR INDUSTRIAL USE ONLY. KEEP OUT OF REACH OF CHILDREN. DO NOT TAKE INTERNALLY.

**SECTION XI:****FEDERAL AND STATE REGULATORY INFORMATION**

FEDERAL REGULATORY INFORMATION

All components of this material are included in the EPA Toxic Substances Control Act (TSCA) Chemical Substance Inventory

Title III SARA Section 302

Product contains materials subject to reporting under SARA Section 302: **NO**

CERCLA

Product contains materials subject to reporting under CERCLA (40 CFR302.4): **NO**

Title III SARA Section 313

Product contains materials subject to reporting under SARA Section 313: **NO**

Resource Conservation and Recovery Act (RCRA)

Product is a hazardous waste under RCRA (40 CFR 261.20): **NO**

STATE REGULATORY INFORMATION

California Proposition 65

Product contains materials that are carcinogenic and/or can cause reproductive harm and is subject to warning and discharge requirements under the "Safe Water and Toxic Enforcement Act of 1986": **NO**

**SECTION XII:**

**ADDITIONAL INFORMATION**

NCPA-HMIS RATINGS

HEALTH (ACUTE) 1

FAMMABILITY 0

REACTIVITY 0

PERSONAL PROTECTION -

**FOR CHEMICAL EMERGENCIES CALL: 800-535-5053**

The information contained herein is based on data considered accurate and is offered at no charge. No warranty is expressed or implied regarding the accuracy of this data. Liability is expressly disclaimed for loss or injury arising out of use of this information or the use of any materials designated.